

CORDE DOUBLE TRESSÉE · **DOUBLE BRAIDED ROPE** · CUERDA DOBLE TRENZADO

NYLON

Ø mm	CIRCONFÉRENCE CIRCUMFERENCE CIRC. Pulgadas	MÉTRAGE LENGTH METRAJE Kg/100m	CHARGE DE RUPTURE BREAKING LOAD CARGA DE ROTURA kg
40	5"	99.0	36.000
44	5 1/2"	120.0	42.000
48	6"	143	50.000
52	6 1/2"	168	60.000
56	7"	195	69.000
60	7 1/2"	223	78.000
64	8"	254	90.000
72	9"	321	109.000
80	10"	397	138.000

POLIESTER


Ø mm	CIRCONFÉRENCE CIRCUMFERENCE CIRC. Pulgadas	MÉTRAGE LENGTH METRAJE Kg/100m	CHARGE DE RUPTURE BREAKING LOAD CARGA DE ROTURA kg
40	5"	122	32.400
44	5 1/2"	147	37.800
48	6"	176	45.000
52	6 1/2"	205	53.500
56	7"	238	62.100
60	7 1/2"	274	71.200
64	8"	312	81.000
72	9"	395	98.000
80	10"	487	124.000

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

CORDES TORONNEES · **TWISTED ROPES** · CUERDAS CABLEADAS

POLYSTEEL

REF	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE Kg/100m	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA kfg
2PS06CV	3/4"	1.65	770
2PS08CV	1"	3.00	1.360
2PS10CV	1 1/4"	4.40	2.035
2PS12CV	1 1/2"	6.40	2.900
2PS14CV	1 3/4"	8.50	3.905
2PS16CV	2"	11.50	4.910
2PS18CV	2 1/4"	15.00	6.305
2PS20CV	2 1/2"	18.00	7.600
2PS22CV	2 3/4"	21.50	8.905
2PS24CV	3"	26.00	10.490
2PS26CV	3 1/4"	30.00	12.320
2PS28CV	3 1/2"	36.00	13.910
2PS30CV	3 3/4"	40.00	16.070
2PS32CV	4"	46.00	17.540
2PS36CV	4 1/2"	59.00	22.080
2PS40CV	5"	72.00	26.860
2PS44CV	5 1/2"	88.00	31.780
2PS48CV	6"	104.00	37.180
2PS52CV	6 1/2"	122.00	43.195
2PS56CV	7"	142.00	49.380
2PS60CV	7 1/2"	162.00	56.680

POLYETHYLENE · **POLYETHYLÈNE** · POLIETILENO

REF	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE Kg/100m	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA kfg
2PE04CV	1/2"	0.81	200
2PE05CV	5/8"	1.30	290
2PE06CV	3/4"	1.80	400
2PE08CV	1"	3.25	700
2PE10CV	1 1/4"	5.00	1.090
2PE12CV	1 1/2"	7.00	1.540
2PE14CV	1 3/4"	9.50	2.090
2PE16CV	2"	13.00	2.800
2PE18CV	2 1/4"	16.00	3.470
2PE20CV	2 1/2"	20.00	4.280
2PE22CV	2 3/4"	24.00	5.080
2PE24CV	3"	29.50	6.100
2PE26CV	3 1/4"	33.00	6.940
2PE28CV	3 1/2"	39.00	8.200
2PE30CV	3 3/4"	46.00	9.490
2PE32CV	4"	52.50	10.700
2PE36CV	4 1/2"	66.00	13.460
2PE40CV	5"	78.50	16.320
2PE44CV	5 1/2"	95.00	19.630
2PE48CV	6"	115.00	22.850
2PE52CV	6 1/2"	135.00	26.420
2PE56CV	7"	157.00	30.400
2PE60CV	7 1/2"	180.00	34.480



NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

CORDES TORONNEES · TWISTED ROPES · CUERDAS CABLEADAS



POLIESTER

REF	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100m	lb/100ft	kfg	lb
2PT04CATB	1/2"	1.18	0.79	295	650
2PT05CATB	5/8"	1.85	1.24	462	1.020
2PT06CATB	3/4"	2.70	1.81	565	1.245
2PT08CATB	1"	4.80	3.22	1.020	2.245
2PT10CATB	1 1/4"	7.60	5.10	1.590	3.500
2PT12CATB	1 1/2"	11.00	7.39	2.275	5.010
2PT14CATB	1 3/4"	14.80	9.93	3.180	7.005
2PT16CATB	2"	19.50	13.08	4.060	8.945
2PT18CATB	2 1/4"	24.50	16.46	5.080	1.1190
2PT20CATB	2 1/2"	30.50	20.34	6.355	14.000
2PT22CATB	2 3/4"	36.70	24.70	7.620	16.585
2PT24CATB	3"	43.70	29.30	9.140	20.130
2PT26CATB	3 1/4"	51.20	34.40	10.710	23.590
2PT28CATB	3 1/2"	59.40	40.00	12.240	26.960
2PT30CATB	3 3/4"	68.20	45.80	13.670	30.110
2PT32CATB	4"	77.80	52.30	15.710	34.605
2PT36CATB	4 1/2"	98.20	65.80	19.380	42.690
2PT40CATB	5"	121.50	81.60	23.970	52.800
2PT44CATB	5 1/2"	146.80	98.60	28.460	62.690
2PT48CATB	6"	175.00	117.60	33.560	73.920
2PT52CATB	6 1/2"	205.00	137.60	39.170	86.280
2PT56CATB	7"	238.00	159.90	44.780	98.635
2PT60CATB	7 1/2"	273.00	183.40	49.880	109.870
2PT64CATB	8"	311.00	208.80	57.935	127.610
2PT72CATB	9"	393.00	263.90	72.115	158.845
2PT80CATB	10"	485.00	325.60	88.435	194.790

NYLON

REF	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100m	lb/100ft	kfg	lb
2NY04CATB	1/2"	1.05	0.7	320	700
2NY05CATB	5/8"	1.65	1.1	500	1.100
2NY06CATB	3/4"	2.25	1.5	750	1.650
2NY08CATB	1"	4.00	2.7	1.350	2.970
2NY10CATB	1 1/4"	6.20	4.2	2.080	4.580
2NY12CATB	1 1/2"	8.90	6.0	3.000	6.600
2NY14CATB	1 3/4"	12.20	8.2	4.100	9.030
2NY16CATB	2"	15.80	10.6	5.300	11.675
2NY18CATB	2 1/4"	20.00	13.4	6.700	14.760
2NY20CATB	2 1/2"	24.50	16.4	8.300	18.280
2NY22CATB	2 3/4"	30.00	20.1	10.000	22.030
2NY24CATB	3"	35.50	23.8	12.000	26.430
2NY26CATB	3 1/4"	42.00	28.2	14.000	30.840
2NY28CATB	3 1/2"	48.50	32.6	15.800	34.800
2NY30CATB	3 3/4"	55.50	37.3	17.800	39.210
2NY32CATB	4"	63.00	42.3	20.000	44.050
2NY36CATB	4 1/2"	80.00	53.7	24.800	54.625
2NY40CATB	5"	99.00	66.5	30.000	66.080
2NY44CATB	5 1/2"	120.00	81.0	35.800	78.850
2NY48CATB	6"	142.00	95.0	42.200	92.510
2NY52CATB	6 1/2"	166.00	112.0	48.800	107.490
2NY56CATB	7"	193.00	130.0	56.000	123.350
2NY60CATB	7 1/2"	221.00	148.0	63.800	140.500
2NY64CATB	8"	252.00	169.0	72.000	158.600
2NY72CATB	9"	319.00	214.0	90.000	198.200
2NY80CATB	10"	394.00	264.0	110.000	242.300

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

CORDAGE DYNEMA · DYNEMA ROPE · CUERDA DINEMA



REF	CIRC. POUCE. CIRCUMF. (INCHES) CIRC. PULGADAS	POIDS WEIGHT PESO Kg/100 m	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA Metr. Tons
2DY10TSK75	1 ¼	5,7	9.1
2DY12TSK75	1 ½	8	13.0
2DY14TSK75	1 ¾	11	17.6
2DY16TSK75	2	14	22.2
2DY18TSK75	2 ¼	18	28.0
2DY20TSK75	2 ½	22	34.6
2DY22TSK75	2 ¾	26	42.0
2DY24TSK75	3	31	49.8
2DY26TSK75	3 ¼	36	58.8
2DY28TSK75	3 ½	42	68.1
2DY30TSK75	3 ¾	48	78.1
2DY32TSK75	4	55	89.4
2DY34TSK75	4 ¼	62	100.6
2DY36TSK75	4 ½	69	111.0
2DY38TSK75	4 ¾	77	123.0
2DY40TSK75	5	86	136.0
2DY42TSK75	5 ¼	94	148.0
2DY44TSK75	5 ½	104	168.0
2DY46TSK75	5 ¾	113	182.0
2DY48TSK75	6	123	195.0
2DY50TSK75	6 ¼	138	203.0
2DY52TSK75	6 ½	150	215.0

SK 75

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com

AUSSIÈRES TRESSÉS · **MOORING ROPES** · ESTACHAS

NYLON

REF	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100 m	lb/100 ft	kfg	lb
2NY40T	5"	99.0	66.5	30.000	66.080
2NY44T	5 1/2"	120.0	81.0	35.800	78.850
2NY48T	6"	142.0	95.0	42.000	92.510
2NY52T	6 1/2"	166.0	112.0	48.800	107.490
2NY56T	7"	193.0	130.0	56.000	123.350
2NY60T	7 1/2"	221.0	148.0	63.800	140.500
2NY64T	8"	252.0	169.0	72.000	158.600
2NY72T	9"	319.0	214.0	90.000	198.200
2NY80T	10"	394.0	264.0	110.000	242.300

POLYSTEEL

REF	CIRC. POUCE CIRC. INCH CIRC. PULGADAS	METRAGE RUNNAGE METRAJE		CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA	
		Kg/100m	lb/100ft	kfg	lb
2PS40T	5"	72.0	48.3	26.860	59.160
2PS44T	5 1/2"	88.0	59.1	31.780	70.000
2PS48T	6"	104.0	69.8	37.180	81.890
2PS52T	6 1/2"	122.0	82.0	43.195	95.140
2PS56T	7"	142.0	95.3	49.380	108.760
2PS60T	7 1/2"	163.0	109.5	56.680	124.840
2PS64T	8"	185.0	124.0	64.140	141.270
2PS68T	8 1/2"	209.0	140.7	72.062	158.720
2PS72T	9"	234.0	157.0	80.225	176.700

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com


NABEFLEX



Ø mm	CIRCONFÉRENCE Pouces CIRCUMFERENCE Inches CIRC. Pulgadas	MÉTRAGE LENGTH METRAJE Kg/100m	CHARGE DE RUPTURE BREAKING LOAD CARGA DE ROTURA kfg
40	5"	100	38.400
44	5 1/2"	125	50.000
48	6"	148	59.000
52	6 1/2"	160	63.700
56	7"	200	78.500
60	7 1/2"	217	85.500
64	8"	235	92.800
72	9"	245	97.000
80	10"	280	110.000

Corde mixte multifilaire/monofilaire de nylon.
Nylon multifilament and monofilament combined rope.
Cuerda mixta de multifilamento de nylon y de monofilamento de nylon.

CORDES TRESSÉES · BRAIDED ROPES · CUERDAS TRENZADAS



NYLON

REF	POIDS WEIGHT PESO 100 mts	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA
2NY06TATB	2.25	750
2NY08TATB	4.00	1.350
2NY10TATB	6.20	2.080
2NY12TATB	8.90	3.000
2NY14TATB	12.20	4.100
2NY16TATB	15.80	5.300
2NY18TATB	20.00	6.700
2NY20TATB	24.50	8.300
2NY22TATB	30.00	10.000
2NY24TATB	35.50	12.000
2NY26TATB	42.00	14.000
2NY28TATB	48.50	15.800
2NY30TATB	55.50	17.800
2NY32TATB	63.00	20.000

POLIESTER

REF	POIDS WEIGHT PESO 100 mts	CHARGE RUPTURE BREAKING STRENGTH CARGA ROTURA
2PT06TATB	12.70	565
2PT08TATB	4.80	1.020
2PT10TATB	7.60	1.590
2PT12TATB	11.00	2.275
2PT14TATB	14.80	3.180
2PT16TATB	19.50	4.060
2PT18TATB	24.50	5.080
2PT20TATB	30.50	6.355
2PT22TATB	36.70	7.620
2PT24TATB	43.70	9.140
2PT26TATB	51.20	10.710
2PT28TATB	59.40	12.240
2PT30TATB	68.20	13.670
2PT32TATB	77.80	15.700

NABERAN SAREAK S.L.

Mutrikuko Industrialdea 15
20830 Mutriku - Gipuzkoa
+34 943 195 122 | naberan@naberan.com

NABERAN FRANCE SARL

Avenue de la République
ZA Poriguenor | 29730 Le Guilvinec (France)
+33 298 582 739 | david@naberan.com